



**IMTLazarus extension deployment in Google  
Workspace and security measures**  
IMTLazarus Administrators



## Index


1. Deploy the IMTLazarus extension:	2
2. Prevent login with accounts outside the domain and incognito mode:	5
3. Prevent users from ending processes with the Chrome task manager:	7
4. Equipment registration permissions:	7
5. Prevent logging in as a guest:	8
6. Prevent developer mode:	8
7. Disable the execution of JavaScript in the browser toolbar:	9
8. Configure the Geolocation in Google Workspace:	10
9. Disable Chrome Sync:	10

## Introduction

For IMTLazarus to work correctly on Chrome devices, IMTLazarus recommends performing the following actions within the [Google Workspace Admin Console](#). The first step is mandatory. The following steps are recommended to prevent users from bypassing the security and for IMTLazarus to work properly.

### 1. Deploy the IMTLazarus extension:


From the Google Workspace Admin Console, in the left-hand menu, expand the Devices menu > Chrome > Chrome Devices Apps and extensions and click on Users and browsers:




Once on this screen, on the left side of the screen you will select the Organizational Unit that you want to work on. Then, within the USERS & BROWSERS tab, click on the yellow “+” button that you will find at the bottom right of the screen and then click on the Chrome icon:

# IMTLazarus extension deployment in Google Workspace and security measures

## IMTLazarus Administrators




This will open a new window called “Select an app from the Chrome Web Store” from which you will have to search for the extension “IMTLazarusv3”, click on it and then on the “Select” button at the top right of the window:



Once the extension is available, verify that you have selected the correct Organizational Unit and select the Installation Policy “Force installation” and click on the “SAVE” button that will appear at the top right of the screen to save the changes.


# IMTLazarus extension deployment in Google Workspace and security measures

## IMTLazarus Administrators



If you have an older version of the IMTLazarus extension installed, remove that version from this screen:

Without leaving that screen, click on the “User app settings” tab and in the “Additional app settings” section click on the setting “Permissions and URLs”:



Verified that you DO NOT have the following parameters checked.:

- Desktop capture
- Block Web requests
- Web requests

## 2. Prevent login with accounts outside the domain and incognito mode:

From the Google Workspace Admin Console, expand the Devices menu > Chrome > Settings and click on the “Users & browsers settings” tab.

Once in this screen, on the left side of the screen select the Organizational Unit on which you want to work.

Go to the section “User experience” and click in the “Sign-in to secondary accounts” settings select the option “Block users from signing in or out of secondary Google accounts”. To apply the changes, click the “SAVE” button at the top right of the screen.

User & browser settings		Device settings	Managed guest session settings
Show: All <input type="text" value="Search or add a filter"/>		<a href="#">Recent changes</a>	
<b>User experience</b>			
Setting	Configuration	Inheritance	Supported on
<b>Sign-in to secondary accounts</b>	2 sub settings	Google default	

Allow users to sign in to any secondary Google Accounts

Allow users to only sign in to the Google Workspace domains set below

**Block users from signing in to or out of secondary Google Accounts**

Without leaving that screen, in the section “Chrome management for signed-in users” select the option “Apply all user policies when users sign in to Chrome and provide a managed Chrome experience”.

Chrome management for signed-in users <span>ⓘ</span>			
Setting	Configuration	Inheritance	Supported on
<b>Chrome management for signed-in users</b>	Apply all user policies when users sign into Chrome, and provide a managed Chrome experience	Inherited	

In the “Power and shutdown” section, select the “Idle settings” and within the setting “Lock screen on sleep or lid close” select the option “Lock screen”:

Configuration

**Action on lid close**

Sleep ▼

**Lock screen on sleep or lid close**




Lock screen ▼

Before Chrome 106, only sleep will trigger locking. In Chrome 106+, sleep or lid close will trigger locking.




**AC idle action**

Sleep ▼

In the "Security" section, click on the setting "Incognito mode" and select the option "Disallow incognito mode":



Setting	Configuration	Inheritance	Supported on
<a href="#">Incognito mode</a>	Disallow incognito mode	Locally applied	   iOS




Without leaving where you are in the USER & BROWSER SETTINGS tab, go to the section "User experience" and in the setting "Multiple sign-in access" select the option "Block access via multiple logins for users of this organization".

Setting	Configuration	Inheritance	Supported on
<a href="#">Multiple sign-in access</a>	Block multiple sign-in access for users in this organization	Locally applied	   iOS

### 3. Prevent users from ending processes with the Chrome task manager:

Without leaving the USER & BROWSER SETTINGS tab, go to the section “Apps and extensions”, select the option “Block users from ending processes with the Chrome task manager” and click on the "Save" button to save the changes.

 Apps and extensions 

Setting	Configuration	Inheritance	Supported on
<a href="#">Task manager</a>	Block users from ending processes with the Chrome task manager	Locally applied	   iOS

### 4. Equipment registration permissions:

To prevent users from resetting devices to factory settings and thus uninstalling IMTLazarus and any other application, it is necessary to enable mandatory device registration. This way, if this were to happen (a reset or "powerwash" of the Chrome device), it would force the user to enroll in the Admin Console in order to use it.

To do this, in the Google Workspace Admin Console, in the left-hand menu, expand the Devices menu > Chrome > Settings and click on the Users & browsers tab.

Once on this screen, on the left side of the screen select the Organizational Unit that you want to work with.










Within this USER & BROWSER SETTINGS tab, go to the section “Enrollment controls” and click on the setting “Enrollment permissions” to set it to “Do not allow users of this organization to enroll new or re-enroll existing devices”.

Click on the “Save” button to save the changes.

Without leaving the screen, go to the DEVICE SETTINGS tab and then to the section “Enrollment and access” and mark the following:

- Forced re-enrollment: Force device to re-enroll with user credentials after wiping.
- Powerwash: Do not allow Powerwash to be triggered.



 Enrollment and access

Setting	Configuration	Inheritance	Supported on
<a href="#">Forced re-enrollment</a>	Force device to re-enroll with user credentials after wiping	Locally applied	   iOS
<a href="#">Asset identifier input after zero touch enrollment</a>	Do not allow asset ID and location to be entered for devices enrolled via zero touch enrollment	Google default	   iOS
<a href="#">Powerwash</a>	Do not allow powerwash to be triggered	Locally applied	   iOS

This way, if a user performs a factory reset, they will have to return the device to the IT Admins so they can manually re-enroll it with an Administrator account.

## 5. Prevent logging in as a guest:

From the same window, click on the DEVICE SETTINGS tab, and go to the section “Sign-in settings” and then on the “Guest mode” setting select the option “Disable guest mode” and click on the save button at the bottom of the screen to save the changes.

 Sign-in settings 

Setting	Configuration	Inheritance	Supported on
<a href="#">Guest mode</a>	Disable guest mode	Locally applied	   iOS

## 6. Prevent developer mode:

From the Google Workspace Admin Console, in the left-hand menu, expand the Devices menu > Chrome > Settings and click on Users & browsers.

Once on this screen, on the left side of the screen select the Organizational Unit that you want to work with.

# IMTLazarus extension deployment in Google Workspace and security measures

## IMTLazarus Administrators

Go to the section “User experience” and in the setting “Developer tools” configure the option “Developer Tools availability” to “Never allow use of built-in developer tools” and the option “Extensions page developer mode” to “Do not allow use of developer tools on extensions page”:

Configuration

**Developer tools availability**

Never allow use of built-in developer tools

**Extensions page developer mode**

Do not allow use of developer tools on extensions page ▼

## 7. Disable the execution of JavaScript in the browser toolbar:

To prevent students from using JavaScript code to try to bypass the security, we need to add an additional configuration.

From the Google Workspace Admin Console, in the left-hand menu, expand the Devices menu > Chrome > Settings and click on the Users & browsers tab. Select the Organizational Unit that you want to apply the restriction to.

Go to the “Content” section and click on the “URL blocking” setting. In the configuration section add “javascript://\*” (without the inverted commas) in the “Blocked URLs” box.

Configuration

Blocked URLs  
javascript://\*

Maximum of 1000 URLs in blocklist. Put each URL on its own line. For example  
example.org  
https://example.com

Don't forget to click on the Save button to register the changes.

## 8. Configure the Geolocation in Google Workspace:

To ensure the geolocation of the devices is enabled, we must configure the following setting in the Google Workspace Admin Console. From the menu on the left, expand the Devices menu > Chrome > Settings and click on the “Users & browsers” tab. Select the Organizational Unit that you would like to work with.

In the Security section, click on the setting “Geolocation” and select the option “Allow sites to detect users’ geolocation”.



Finally, click the “Save” button to register the changes.

## 9. Disable Chrome Sync:

To prevent students from disabling the extension, we need to turn off Chrome synchronization from the Console.

From the menu on the left, expand the menu Applications > Additional Google Services > Settings for Google Chrome Sync. Select the Organizational Unit where you want to apply the settings and choose the option "Service status" and set it to “OFF”.

Apps > Additional Google services > Settings for Google Chrome Sync > Service Status

